

단 가 표

2023.05.01
실공급가


후렉시블 및 콘넥터 / 매입박스

규격	방수후렉시블			아연방수콘넥터			인서트 (우/좌)	회색방수 콘넥터(ST)
	GW (㉔)	SW (㉔)	WF (회색)	박스용	90도	파이프용(PG)		
								
10				570			78	
12				570			78	
16	458	950	449	570	2,320	780	78	590
22	665	1,260	610	745	3,130	1,010	90	780
28	920	1,730	830	1,090	4,360	1,360	116	1,130
36	1,430	2,850	1,290	1,670	5,890	2,070	180	1,720
42	1,790	3,930	1,590	2,260	8,820	2,680	235	2,330
54	2,560	5,100	2,420	3,050	11,500	3,670	340	3,150
70	5,900			6,790			630	7,120
82	7,100			9,870			920	9,880
104	10,980			15,480			1,470	15,980

후렉시블은 M당 단가입니다.

규격	SF 비방수 후렉시블 (㉔)	SF 비방수 콘넥터				PVC 방수콘넥터	황동 방수콘넥터	FFC 후렉시블 연결
		KS	와셔형	원터치형	원터치(16*22)			
								
16	410	249	320	139	239	270	2,980	1,450
22	789	428				330	3,410	2,180
28	1,180	690	이종연결부속 CD, SF, GW 모두 사용가능 난연성 ABS 재질	이종연결커플링	이종연결콘넥터	470	5,480	2,750
36	1,910					790	7,850	4,190
42	2,260						9,980	5,490
54	3,260			269	250		13,900	6,980

규격	8각박스	4각박스	스위치박스	콘센트박스	8각평카바		4각평카바		스위치평카바		콘카바	
												
44	710	845	590		1P	320	1P	320	1P	260	S/W	430
54	810	950	640	740	2P	330	2P	330			승압	430
75	1,560	1,650	1,490		3P	340						
44 (연결)	740	875	620		보강철 450L		철보강대		PVC 보강대		통신용박스(3구)	
54 (연결)	840	980	670	770								
75 (연결)	1,590	1,680	1,520									
54 (콘센트)		1,150			860		280		180		3,980	



 대봉 부산영업소

단 가 표

2023.05.01
실공급가

강제전선관 및 부속품

규격	강제전선관	노말밴드	커플링	로크너트	부싱	파이프행거	워셔캡(주물)	워셔캡(PVC)
								
16	10,370	2,310	360	70	110	450		650
22	13,450	2,680	530	105	163	490	2,390	1,170
28	17,560	3,680	760	190	280	530	2,690	1,560
36	22,480	5,120	1,120	280	440	540	4,480	1,950
42	25,850	6,680	1,290	380	520	590	4,870	2,470
54	36,280	10,800	1,980	580	910	910	6,980	920
70	46,300	15,980	3,780	970	1,650	980	32,900	1,220
82	53,400	25,500	5,100	1,350	2,450	1,450	35,600	1,650
104	86,200	51,800	7,900	1,750	4,150	1,750	49,800	2,780

규격	무나사 전선관 피팅 (볼트조임식)				무나사 전선관 피팅 (너트조임식)			멀티 유크램프
	TPP	TPB	TPB-F	TPF	PPC	PBC	PFC	볼트부착
	파이프+파이프	파이프+박스	TPB 암나사형	파이프+후렉시블	파이프+파이프	파이프+박스	파이프+후렉시블	
								
16	920	760	960	860	1,160	950	1,340	145
22	1,220	1,050	1,250	1,030	1,990	1,480	2,100	154
28	1,650	1,390	1,820	1,290	2,530	1,930	2,630	175
36	2,780	2,290		2,100	4,100	2,900	4,100	340
42	3,390	2,980		2,950	5,380	3,980	5,600	400
54	4,350	3,780		3,980	6,980	5,380	7,100	500
70	7,870	7,150		9,180				
82	9,850	9,850		12,980				
104	14,950	14,950		19,900				


규격	새들		반새들		채널 크램프 (볼트별도)			빔새들 (볼트/너트별도)
	일반	KS	일반	KS	일반	KS	SUS	
								
16	21	69	38	104	99	140	395	83
22	28	82	52	137	109	160	470	99
28	51	124	79	202	126	180	550	113
36	79	150	179	410	144	220	620	143
42	109	165	265	670	168	260	710	185
54	158	215	390	940	192	290	870	260
70	270		빔몸통 (볼트별도)				일반	SUS
82	370			소	270	크램프볼트	20	105
104	450			대	530	크램프너트	13	47

단 가 표


2023.05.01
실공급가

C-채널 / 접지자재 / 전산볼트 / 시스템박스 / 풀박스 / 기타

C-채널 (3M, 용융도금)		접지동봉		전산볼트		시스템박스 SET (매입용)	
							
41*41*3M*2.0T	13,900	12*500	1,760	3/8"*1M	780	AL 4방출 (타일용)	17,800
		12*1000	2,680	3/8"*2M	1,560		
41*25*3M*2.0T	11,400	14*1000	4,270	3/8"*3M	2,340	AL 4방출 (대리석용)	18,800
		16*1800	7,680	C형 행거			
41*41*3M*2.6T	21,600	1800(리트)	10,650			AL 4방출 (타일용/H65)	19,900
		18*2400	13,900				
C-채널 (1.2M, GI)		동봉콘넥터		중	1,290	시스템박스 SET (약세사용)	
				대	1,650		
				G형 행거 (걸이형)			
41*25*1.2M*1.2T	2,100	중	960			AL 4방출 (타일용)	17,800
		대	1,750				
41*25*1.2M*1.6T	2,950	접지동판		3/8"	1,890	AL 4방출 (대리석용)	18,800
				1/2"			
C-채널 (1.0M, SUS)				전산볼트 부속/양카 (3/8")		시스템박스 커버	
				연결너트(육각)	95		
		0.7T	12,500	양날 브라켓	150		
		1.0T	17,400				
41*25*1.0M*1.5T	13,800	접지 저감제		C형강 브라켓	150	AL커버 4방출 (타일용)	6,500
채널캡 (PVC)				스트롱양카	69		
	41*41	100		세트양카	140		
	41*25	100		드롭인양카	69	AL커버 4방출 (대리석용)	7,600
			10kg	8,800			

풀박스	100*100	2,720	250*150	8,130	400*150	15,300	500*400	51,000
	150*100	2,590	250*200	9,490	400*200	17,900	500*500	62,000
	150*150	3,190	300*100	6,760	400*300	23,900	600*200	51,000
	200*100	3,590	300*150	7,980	400*400	36,500	600*300	54,300
	200*150	4,480	300*200	9,190	500*150	33,800	600*400	62,300
	200*200	5,390	300*300	15,300	500*200	35,900	600*500	78,000
	250*100	6,780	400*100	14,500	500*300	39,800	600*600	89,000

필름밴드 (포스맥 / 대)	동피뢰침	방수콘센트		방수스위치	후로아 오픈형 콘센트 SET		신주카바
고리조립	Y형	1P	2P	1P	1P (원형)	2P (사각)	1.5cm
							
1,740	23,900	18,800	32,600	21,300	84,200	54,300	7,900

 대봉 부산영업소

단 가 표

2023.05.01
실공급가

레이스웨이

레이스웨이 바디/커버는 M당 단가입니다.

품 명	규 격	40 X 40		70 X 40		110 X 50	
레이스웨이 바디		1,980		2,350		3,580	
레이스웨이 커버		720		1,070		1,620	
조이너		650		990		1,520	
A 행거 (너트부착형)		640		750		920	
수평엘보		2,320		2,780		4,270	
수직엘보 (인/아웃)		2,320		2,780		4,270	
수평티		2,850		3,450		4,650	
수평크로스		3,650		3,950		5,590	
앤드캡		610		710		1,190	
박스콘넥터		1,190		1,350		1,690	
커버밴드 (SUS)		220		250		350	
기구용 금구 (ST)		금구	210	부싱	110	로크너트	70
기구용 금구 (ABS)		금구	100	부싱	85	로크너트	75
장선박스 1방							
장선박스 2방							
장선박스 3방							
장선박스 4방							
수평/수직엘보 (45도)		2,860		3,120		4,540	





단 가 표

2023.05.01
실공급가

케이블 트레이 / 케이블 덕트

트레이/덕트 바디/커버는 M당 단가입니다.

케이블 트레이 (용융도금)

규격	케이블 트레이 (3M)		트레이 수평/수직엘보		트레이 수평티		트레이 연결판	트레이 수직라이저
	바디	커버 (GI)	바디	커버 (GI)	바디	커버 (GI)		
								
100*100	9,420	2,470	14,690	4,980	18,900	5,980	890	1,100
150*100	9,620	3,370	14,980	6,790	19,300	8,120		
200*100	9,980	4,190	15,450	8,590	19,900	10,260		
300*100	10,690	5,980	16,580	12,170	21,400	14,550	트레이 경첩	홀다운크램프 (일체형)
400*100	11,890	9,720	18,340	15,780	23,900	18,950		
450*100	12,300	10,850	18,900	17,600	24,650	21,100		
500*100	12,750	11,960	19,500	19,400	25,400	23,270	3,800	350
600*100	13,500	14,200	20,650	23,000	26,980	27,600		

케이블 트레이 (포스맥)

규격	포스맥 트레이 (3M)		포스맥트레이 수평/수직엘보		포스맥 트레이 수평티		연결판	1,050
	바디	커버	바디	커버	바디	커버	수직라이저	
200*100	9,980	7,980	18,160	14,980	21,800	18,600	경첩	3,980
300*100	10,690	11,300	19,360	21,290	23,300	26,300	접지퓨즈	1,350

케이블 덕트 (GI)

규격	케이블 덕트 (3M)		덕트 수평/수직엘보		덕트 수평티		덕트 연결판 (GI)	커버크램프 (GI)
	바디 (GI)	커버 (GI)	바디 (GI)	커버 (GI)	바디 (GI)	커버 (GI)		
								
100*100	5,890	2,470	10,420	4,290	12,540	5,160	780	390
150*100	6,750	3,370	11,960	5,820	14,390	6,990		
200*100	7,620	4,190	13,490	7,350	16,230	8,900		
300*100	9,350	5,980	16,550	10,430	19,900	12,560		

규격	앤드캡	박스커넥터	찬널 행거		벽부용 브라켓		볼트(3/8")	너트(3/8")
								
100*100	1,730	3,850	200L	1,470	150L	3,120	32	20
150*100	1,980	4,650	250L	1,750	200L	3,320		
200*100	2,380	5,580	300L	2,100	250L	3,580	접지선	
300*100	3,050	7,320	400L	2,790	350L	4,250		
400*100	3,730	9,100	500L	3,490	450L	4,950		
450*100	3,990	9,870	550L	3,850	500L	5,280		14SQ
500*100	4,380	10,800	600L	4,200	550L	5,620	22SQ	1,150
600*100	5,050	12,600	700L	4,900	650L	6,290	38SQ	1,390




단 가 표

노출박스 / HI 전선관 / 방폭자재 / 기타

규격	주물노출박스		NEW 스위치/콘센트 겸용	규격	환형노출박스			
	스위치	콘센트			1방	2방	3방	4방
								
16*1방	2,750	3,250	3,350	16	3,140	3,330	3,480	3,710
16*2방	3,100	3,520		22	3,330	3,710	3,990	4,520
22*1방	3,320	3,520		28	4,470	4,950	5,350	5,760
22*2방	3,580	3,720						

규격	HI 전선관	HI 콘넥터	HI 커플링	HI 장노말	규격	철판피스	규격	기리피스
								
16	1,350	82	70	890	4*13	7.1	8*13	7.7
22	1,630	97	90	990	4*16	7.9	8*16	10.1
28	3,160	210	200	1,100	4*19	9.1	8*19	12.0
36	4,430	350	350	1,390	4*25	11.1	8*25	14.0
42	5,890	530	510	1,960	4*32	13.6	8*32	16.9
54	8,370	940	780	3,320	4*38	16.5	8*38	18.9
70	10,800	1,490	1,300	5,720	4*50	21.6	8*50	23.5
82	16,500	2,200	1,780	9,100	4*65	31.5	8*65	33.7
104	19,600	3,370	2,200	13,200	4*75	36.4	8*75	40.5
					4*90	45.2	8*100	57.2

규격	내압방폭후렉시블			곤지레다		씰링휘팅		유니온 커플링
	500L	700L	1000L	LL/LR/LB	LT/LTB	수직형	수평형	
								
16	12,300	13,800	16,200	3,620	4,270	3,560	5,280	1,790
22	17,100	18,900	21,800	4,120	4,990	4,170	6,120	2,540
28	24,800	27,800	32,200	6,800	7,620	5,990	7,880	3,790
규격	장선박스		단니플	플러그	규격 EX) 28*22와 28*16은 단가 상이함	레듀사		
	안전증	내압방폭				원형레듀사	소켓레듀사	육각레듀사
								
16	11,500	12,300	790	670	22*16	420	1,650	1,290
22	12,500	13,100	850	710	28*22	840	2,200	1,730
씰링 콤파운드 (1kg)		9,800			36*28	1,440	3,940	2,670

ABS 노출박스		NEW	스위치/콘센트 겸용		와이어콘넥터	소/중	34	앵글 (A)	500	2,980	
	스위치용	720	표준 (W70)	480			대	38		1,000	5,960
	콘센트용	730	와이드 (W80)	510			특대	42		1,500	8,940